ELSEVIER

Brain Research 654 (1994) 357–359

BRAIN RESEARCH

Author Index

Abbud, R., see Hoffman, G.E. (654) 207
Abdel-Rahman, A.A., see Mao, L. (654) 343
Abraham, D., see Zwart, R. (654) 312
Agnati, L.F., see Yang, S.-N. (654) 137
Alvarez-Buylla, R. and Roces de Alvarez-Buylla, E.
Changes in blood glucose concentration in the carotid body-sinus modify brain glucose retention (654) 167
Araujo, D.M., see Lapchak, P.A. (654) 1
Arias, J.L., see González-Pardo, H. (654) 75

Ben-Ari, Y., see Dessi, F. (654) 27
Berkenbosch, F., see Williams, A.E. (654) 200
Brent, P.J. and Bunn, S.J.
In vivo treatment with μ and δ, but not κ-selective opioid agonists reduces [^{3}H]spiperone binding to the guinea-pig striatum: autoradiographic evidence (654) 191
Bunn, S.J., see Brent, P.J. (654) 191

Charriaut-Marlangue, C., see Dessi, F. (654) 27
Chen, Q.-C. and Jen, P.H.-S.
Pulse repetition rate increases the minimum threshold and latency of auditory neurons (654) 155
Choi, Y.-H., Furuse, M., Okumura, J.-i. and Denbow, D.M.
Nitric oxide controls feeding behavior in the chicken (654) 163
Chopp, M., see Zhang, Z.G. (654) 85
Chou, Y.-C., Lin, W.J. and Sapolsky, R.M.
Glucocorticoids increase extracellular [^{3}H]D-aspartate overflow in hippocampal cultures during cyanide-induced ischemia (654) 8
Colbourne, F. and Corbett, D.
Delayed and prolonged post-ischemic hypothermia is neuroprotective in the gerbil (654) 265
Collan, Y., see Siironen, J. (654) 303
Cooper, H.M., see Vuillez, P. (654) 81
Corbett, D., see Colbourne, F. (654) 265

De Leon, R., Hodgson, J.A., Roy, R.R. and Edgerton, V.R.
Extensor- and flexor-like modulation within motor pools of the rat hindlimb during treadmill locomotion and swimming (654) 241
Denbow, D.M., see Choi, Y.-H. (654) 163
Dessi, F., Ben-Ari, Y. and Charriaut-Marlangue, C.
Increased synthesis of specific proteins during glutamate-induced neuronal death in cerebellar culture (654) 27
Dubocovich, M.L., see Krause, D.N. (654) 63

Edgerton, V.R., see De Leon, R. (654) 241
Eikelenboom, P., see Williams, A.E. (654) 200

Faraci, F.M. and Heistad, D.D.
Responses of cerebral arterioles to *N*-methyl-D-aspartate and activation of ATP-sensitive potassium channels in old rats (654) 349
Fior, D.R., see Yang, S.-N. (654) 137
Fischer, H.C. and Kuljis, R.O.
Multiple types of nitrogen monoxide synthase-/NADPH diaphorase-containing neurons in the human cerebral neocortex (654) 105
Florin, S.M., Kuczenski, R. and Segal, D.S.
Regional extracellular norepinephrine responses to amphetamine and cocaine and effects of clonidine pretreatment (654) 53
Förstermann, U., see Zhang, Z.G. (654) 85
Fraser, H., see Williams, A.E. (654) 200
Fregly, M.J., see Rowland, N.E. (654) 34
Freund, W.-D. and Reddig, S.
AMPA/Zn^{2+}-induced neurotoxicity in rat primary cortical cultures: involvement of L-type calcium channels (654) 257
Furuse, M., see Choi, Y.-H. (654) 163
Fuxe, K., see Yang, S.-N. (654) 137

Gautam, S., see Zhang, Z.G. (654) 85
Goehler, L.E., see Watkins, L.R. (654) 15
González-Pardo, H., Gutiérrez-Sánchez, J.M., Menéndez-Patterson, A. and Arias, J.L.
Postnatal development of argyrophilic nucleolar organizer regions in the mammillary body of undernourished rats (654) 75
Goodman, Y., Steiner, M.R., Steiner, S.M. and Mattson, M.P.
Nordihydroguaiaretic acid protects hippocampal neurons against amyloid β-peptide toxicity, and attenuates free radical and calcium accumulation (654) 171
Gutiérrez-Sánchez, J.M., see González-Pardo, H. (654) 75

Han, J.-H., see Parkes, J.W.K.D.G. (654) 159
Hayashi, Y., see Shimizu, N. (654) 145
Heaton, M.B., Paiva, M., Swanson, D.J. and Walker, D.W.
Ethanol neurotoxicity in vitro: effects of GM1 ganglioside and protein synthesis inhibition (654) 336
Hedlund, P.B., see Yang, S.-N. (654) 137
Heistad, D.D., see Faraci, F.M. (654) 349
Hemet, J., see Peulve, P. (654) 319
Herbin, M., see Vuillez, P. (654) 81
Heuston, K. and Zeigler, H.P.
Water deprivation and subfornical organ activity in the pigeon a [^{14}C]2-deoxyglucose study (654) 331
Hiatt, E.S., see Toth, P. (654) 181
Hodgson, J.A., see De Leon, R. (654) 241
Hoffman, G.E., Le, W.-W., Abbud, R., Lee, W.-S. and Smith, M.S.
Use of Fos-related antigens (FRAs) as markers of neuronal activity: FRA changes in dopamine neurons during proestrus, pregnancy and lactation (654) 207
Hori, T., see Shimizu, N. (654) 145

Iyer, V., see Toth, P. (654) 181

Jen, P.H.-S., see Chen, Q.-C. (654) 155
Jiang, Z.-G., see Pessia, M. (654) 324
Johnson, S.W., see Pessia, M. (654) 324

Kamakura, K., see Nakamura, R. (654) 279
Kasai, H., see Mori, A. (654) 177
Kemmotsu, O., see Morimoto, Y. (654) 273
Kinney, G.G., Kocsis, B. and Vertes, R.P.
Injections of excitatory amino acid antagonists into the median raphe nucleus produce hippocampal theta rhythm in the urethane-anesthetized rat (654) 96
Kocsis, B., see Kinney, G.G. (654) 96
Kolb, B., see Stewart, J. (654) 149
Konings, P.N.M., Philipsen, R.L.A., Veeneman, G.H. and Ruigt, G.S.F.
α-Sialyl cholesterol increases laminin in

Schwann cell cultures and attenuates cytostatic drug-induced reduction of laminin (654) 118
Krause, D.N., Siuciak, J.A. and Dubocovich, M.L.
Unilateral optic nerve transection decreases 2-[^{125}I]-iodomelatonin binding in retinorecipient areas and visual pathways of chick brain (654) 63
Kuczenski, R., see Florin, S.M. (654) 53
Kuljis, R.O., see Fischer, H.C. (654) 105
Kwak, S., see Nakamura, R. (654) 279

Lapchak, P.A. and Araujo, D.M.
Effects of chronic intraventricular nerve growth factor treatment on vasoactive intestinal peptide and neuropeptide Y levels in the hippocampal formation and cerebral cortex following fimbrial transections (654) 1
Laquerriere, A., see Peulve, P. (654) 319
Le, W.-W., see Hoffman, G.E. (654) 207
Lee, W.-S., see Hoffman, G.E. (654) 207
Le Mevel, J.-C., Pamantung, T.-F., Mabin, D. and Vaudry, H.
Intracerebroventricular administration of angiotensin II increases heart rate in the conscious trout (654) 216
Li, B.-H., see Rowland, N.E. (654) 34
Lin, Q., Peng, Y. and Willis, W.D.
Glycine and $GABA_A$ antagonists reduce the inhibition of primate spinothalamic tract neurons produced by stimulation in periaqueductal gray (654) 286
Lin, W.J., see Chou, Y.-C. (654) 8
Lowndes, M. and Stewart, M.G.
Dendritic spine density in the lobus parolfactorius of the domestic chick is increased 24 h after one-trial passive avoidance training (654) 129
Lukacs, H., see Toth, P. (654) 181

Mabin, D., see Le Mevel, J.-C. (654) 216
Maderspach, K., see Schmidt, P. (654) 223
Maier, S.F., see Watkins, L.R. (654) 15
Man-A-Hing, W.K.H., see Williams, A.E. (654) 200
Mao, L. and Abdel-Rahman, A.A.
Inhibition of glutamate uptake in the rostral ventrolateral medulla enhances baroreflex-mediated bradycardia in conscious rats (654) 343
Martin, D., see Watkins, L.R. (654) 15
Mattson, M.P., see Goodman, Y. (654) 171
McGaugh, J.L., see Williams, C.L. (654) 251
McGeer, P.L., see Yasuhara, O. (654) 234
Menéndez-Patterson, A., see González-Pardo, H. (654) 75
Miyashita, Y., see Mori, A. (654) 177
Mori, A., Takahashi, T., Miyashita, Y. and Kasai, H.
Quantal properties of H-type glutamatergic synaptic input to the striatal medium spiny neurons (654) 177
Morimoto, Y., Kemmotsu, O. and Morimoto, Y.
Effect of lactic and CO_2 acidosis on neuronal function following glucose–oxygen deprivation in rat hippocampal slices (654) 273
Morimoto, Y., see Morimoto, Y. (654) 273

Nakamura, R., Kamakura, K. and Kwak, S.
Late-onset selective neuronal damage in the rat spinal cord induced by continuous intrathecal administration of AMPA (654) 279
Nakane, H., see Shimizu, N. (654) 145
Nemeroff, C.B., see Parkes, J.W.K.D.G. (654) 159
Nevo, E., see Vuillez, P. (654) 81
North, R.A., see Pessia, M. (654) 324

Okumura, J.-i., see Choi, Y.-H. (654) 163
Onozuka, M., see Watanabe, K. (654) 352
Oortgiesen, M., see Zwart, R. (654) 312
Owens, M.J., see Parkes, J.W.K.D.G. (654) 159

Paiva, M., see Heaton, M.B. (654) 336
Pamantung, T.-F., see Le Mevel, J.-C. (654) 216
Parkes, J.W.K.D.G., Owens, M.J., Stipetic, M.D., Han, J.-H., Nemeroff, C.B. and Vale, W.W.
The BE (2)-M17 neuroblastoma cell line synthesizes and secretes corticotropin-releasing factor (654) 159
Peng, Y., see Lin, Q. (654) 286
Pessia, M., Jiang, Z.-G., North, R.A. and Johnson, S.W.
Actions of 5-hydroxytryptamine on ventral tegmental area neurons of the rat in vitro (654) 324
Peulve, P., Laquerriere, A., Hemet, J. and Tadie, M.
Comparative effect of α-MSH and b-FGF on neurite extension of fetal rat spinal cord neurons in culture (654) 319
Pévet, P., see Vuillez, P. (654) 81
Philipsen, R.L.A., see Konings, P.N.M. (654) 118
Pollock, J.S., see Zhang, Z.G. (654) 85

Rao, Ch.V., see Toth, P. (654) 181
Reddig, S., see Freund, W.-D. (654) 257
Reid, K.H., see Toth, P. (654) 181
Roces de Alvarez-Buylla, E., see Alvarez-Buylla, R. (654) 167
Rowland, N.E., Fregly, M.J., Li, B.-H. and Smith, G.C.
Action of angiotensin converting enzyme inhibitors in rat brain: interaction with isoproterenol assessed by Fos immunocytochemistry (654) 34
Roy, R.R., see De Leon, R. (654) 241
Röyttä, M., see Siironen, J. (654) 303
Ruigt, G.S.F., see Konings, P.N.M. (654) 118

Sapolsky, R.M., see Chou, Y.-C. (654) 8
Schmidt, H.H.H.W., see Zhang, Z.G. (654) 85
Schmidt, P., Schröder, H., Maderspach, K. and Staak, M.
Immunohistochemical localization of κ opioid receptors in the human frontal cortex (654) 223
Schröder, H., see Schmidt, P. (654) 223
Segal, D.S., see Florin, S.M. (654) 53
Shimizu, N., Nakane, H., Hori, T. and Hayashi, Y.
CRF receptor antagonist attenuates stress-induced noradrenaline release in the medial prefrontal cortex of rats (654) 145
Siironen, J., Collan, Y. and Röyttä, M.
Axonal reinnervation does not influence Schwann cell proliferation after rat sciatic nerve transection (654) 303
Siuciak, J.A., see Krause, D.N. (654) 63
Smith, G.C., see Rowland, N.E. (654) 34
Smith, K.P., see Watkins, L.R. (654) 15
Smith, M.S., see Hoffman, G.E. (654) 207
Staak, M., see Schmidt, P. (654) 223
Steiner, M.R., see Goodman, Y. (654) 171
Steiner, S.M., see Goodman, Y. (654) 171
Stewart, J. and Kolb, B.
Dendritic branching in cortical pyramidal cells in response to ovariectomy in adult female rats: suppression by neonatal exposure to testosterone (654) 149
Stewart, M.G., see Lowndes, M. (654) 129
Stipetic, M.D., see Parkes, J.W.K.D.G. (654) 159
Swanson, D.J., see Heaton, M.B. (654) 336

Tadie, M., see Peulve, P. (654) 319
Takahashi, T., see Mori, A. (654) 177
Toth, P., Lukacs, H., Hiatt, E.S., Reid, K.H., Iyer, V. and Rao, Ch.V.
Administration of human chorionic gonadotropin affects sleep–wake phases and other associated behaviors in cycling female rats (654) 181

Vale, W.W., see Parkes, J.W.K.D.G. (654) 159
Van Dam, A.-M., see Williams, A.E. (654) 200
Vaudry, H., see Le Mevel, J.-C. (654) 216
Veeneman, G.H., see Konings, P.N.M. (654) 118
Vertes, R.P., see Kinney, G.G. (654) 96
Vijverberg, H.P.M., see Zwart, R. (654) 312
Vuillez, P., Herbin, M., Cooper, H.M., Nevo, E. and Pévet, P.
Photic induction of Fos immunoreactivity in the suprachiasmatic nuclei of the blind mole rat (*Spalax ehrenbergi*) (654) 81

Walker, D.G., see Yasuhara, O. (654) 234
Walker, D.W., see Heaton, M.B. (654) 336
Watanabe, K. and Onozuka, M.
Glutamate elicits an outward K^+ current which is normally suppressed by a Ca^{2+}/calmodulin-dependent protein kinase II (654) 352
Watkins, L.R., Wiertelak, E.P., Goehler, L.E., Smith, K.P., Martin, D. and Maier, S.F.
Characterization of cytokine-induced hyperalgesia (654) 15

Wiertelak, E.P., see Watkins, L.R. (654) 15
Williams, A.E., Van Dam, A.-M., Man-A-Hing, W.K.H., Berkenbosch, F., Eikelenboom, P. and Fraser, H.
Cytokines, prostaglandins and lipocortin-1 are present in the brains of scrapie-infected mice (654) 200
Williams, C.L. and McGaugh, J.L.
Enhancement of memory processing in an inhibitory avoidance and radial maze task by post-training infusion of bombesin into the nucleus tractus solitarius (654) 251
Willis, W.D., see Lin, Q. (654) 286
Wilson, J.S.
Intracellular response of neurons of the caudate nucleus and putamen to intrastriatal stimulation in cat (654) 41
Yang, S.-N., Fior, D.R., Hedlund, P.B., Agnati, L.F. and Fuxe, K.
Selective modulation of the NPY receptors of the Y_2 subtype by α_2 receptors in the nucleus tractus solitarii of the rat. A cardiovascular and quantitative receptor autoradiographical analysis (654) 137
Yasuhara, O., Walker, D.G. and McGeer, P.L.
Hageman factor and its binding sites are present in senile plaques of Alzheimer's disease (654) 234
Zaloga, C., see Zhang, Z.G. (654) 85
Zeigler, H.P., see Heuston, K. (654) 331
Zhang, R.L., see Zhang, Z.G. (654) 85
Zhang, Z.G., Chopp, M., Gautam, S., Zaloga, C., Zhang, R.L., Schmidt, H.H.H.W., Pollock, J.S. and Förstermann, U.
Upregulation of neuronal nitric oxide synthase and mRNA, and selective sparing of nitric oxide synthase-containing neurons after focal cerebral ischemia in rat (654) 85
Zwart, R., Abraham, D., Oortgiesen, M. and Vijverberg, H.P.M.
$\alpha 4\beta 2$ subunit combination specific pharmacology of neuronal nicotinic acetylcholine receptors in N1E-115 neuroblastoma cells (654) 312